

ABOUT US

NTN Group is delighted to have an overview of the company profile and its activities.

NTN Group is a trading & commercial company in petroleum, petrochemical products, Fuel, Bitumen and drilling raw material fields.

Its principal field of activities is trading, transportation and trans-shipment in the Middle East and Asian regions, working across a range of supply from Iranian products.

Our business is about building long-term partnerships with end-users and producers alike, under contract.

These relationships are built on transparency, trust, reliability, and operational expertise in supporting the ability to develop mutually rewarding business associations.

We are currently registered in nearly all petrochemical complexes in Iran and have ability to export all petrochemical products from Iran market in all grades and quantities.

We would be very pleased to have a successful working relationship in the future and it's our pleasure to do great things together.



NTN GROUP





CONTENTS

• HDPE PRODUCTS	8	• LDPE PRODUCTS	24	• SBR PRODUCTS	46	• PVC PRODUCTS	64
- HDPE FILM	10	- LDPE FILM	26	• PBR PRODUCTS	48	• PC PRODUCTS	66
- HDPE PIPE	12	- LDPE INJECTION	28	• HIPS PRODUCTS	50	• PET PRODUCTS	68
- HDPE BLOW MOLDING	14	• LLDPE PRODUCTS	30	• GPPS PRODUCTS	52		
- HDPE INJECTION	16	- LLDPE FILM	32	• EPS PRODUCTS	54		
- HDPE CAPS & CLOSURES	18	• PP PRODUCTS	34	- TABRIZ	56		
- HDPE YARN	20	- PP (Homo Polymer)	36	- PETROMOL	58		
• MDPE PRODUCTS	22	- PP (Co Polymer)	40	- BANJAR	60		
- MDPE ROTOMOLDING & FILM	23	- PP PIPE	44	• ABS PRODUCTS	62		



HDPE

Products



NTN GROUP
DIŞ TİCARET LİMİTED ŞİRKETİ

| 8 |

INDEX

- HDPE Film
- HDPE Pipe
- HDPE Blow Molding
- HDPE Injection
- HDPE Caps & Closures
- HDPE Yarn



NTN GROUP
DIŞ TİCARET LİMİTED ŞİRKETİ

| 9 |



HDPE FILM

Typical Application

- Blown films with paperlike quality
- Carrier bags, counter bags
- Wrapping films
- Food packing

GRADE	PRODUCER	MFR	DENSITY
7000 F	Bakhtar-Mehr-Ilam	0.04 (2.16 kg)	0.952
EX 5	Jam-Marun-Bakhtar	0.28 (5 kg)	0.946
HFI 5110	Arya Sasul	10 (21.6 kg)	0.951





HDPE PIPE

Typical Application

- Pressure pipes
- Water Hose
- Gas pipes
- Waste & sewer pipes


GRADE	PRODUCER	MFR	DENSITY
PE 80 ⁺	Arya Sasol	0.22 (5 kg)	0.944
(EX 3) PE 100	Amir Kabir (AKPC)	0.22 (5 kg)	0.944
HMCRP 100 N	Jam	0.22 (5 kg)	0.948
HMCRP 100 B	Shazand	0.22 (5 kg)	0.957
7700 M (PE-100)	Ilam	0.27 (2.16 kg)	0.949



THE PIPELINE



HDPE PIPE





HDPE BLOW MOLDING

Typical Application

- Container
- Blow molding bottles
- Packing of pharmaceuticals

GRADE	PRODUCER	MFR	DENSITY
HB 0035	Bandar imam (BIK)	0.35 (2.16 kg)	0.959
BL 3	Jam-Marun-Bakhtar	1.2 (5 kg)	0.954
HBM 5510	Arya Sasol	0.75 (2.16 kg)	0.955





HDPE INJECTION

Typical Application

- Fish boxes
- Crates and tote boxes
- House wares

GRADE	PRODUCER	MFR	DENSITY
52505 UV	Jam	5 (2.16 kg)	0.952
HD 6070 UA	Tabriz	7 (2.16 kg)	0.960
62N07	Bakhtar	7 (2.16 kg)	0.958
HD 60507 UV	Jam	7.5 (2.16 kg)	0.958
HD 52518	Jam/Bakhtar	18 (2.16 kg)	0.952
52528	Jam	28 (2.16 kg)	0.925



HDPE INJECTION





HDPE CAPS & CLOSURES

Typical Application

- Hot filled carbonated soft drink
- Beverage caps
- Beverage bottle caps of sparkling water

GRADE	PRODUCER	MFR	DENSITY
HD 5030 SA	Bakhtar-Tabriz	2.2 (2.16 kg)	0.951



HDPE CAPS & CLOSURES





HDPE YARN

Typical Application

- Fishing net
- Rope
- Tarpaulin
- Woven sack

GRADE	PRODUCER	MFR	DENSITY
HD 5000 S	Jam	0.8 (2.16 kg)	0.954



HDPE YARN



ROPE





MDPE Products



MDPE ROTOMOLDING & FILM

Typical Application

- Large Containers
- Septic tanks

GRADE	PRODUCER	MFR	DENSITY
3840 UA	Tabriz-Shazand-Bakhtar	4 (2.16 kg)	0.954
HBM 4265	Arya Sasul	6.5 (21.6 kg)	0.944
MFI 3713	Arya Sasul	13 (21.6 kg)	0.937





LDPE

Products



INDEX

- LDPE
- LDPE Film





LDPE FILM

Typical Application

- Food packing
- Shrink film
- Cast film
- Bags and pouches
- Carrier bags
- General purpose bags



GRADE	PRODUCER	MFR	DENSITY
LFI 2130	Arya Sasul	0.3 (2.16 kg)	0.921
L 2100 TN 00	Laleh	0.3 (2.16 kg)	0.921
2420 D	Amir Kabir (AKPC)	0.25 (2.16 kg)	0.923
LH 0075	Bandar Imam (BIK)	0.75 (2.16 kg)	0.922
2420 F	Amir Kabir (AKPC)	0.75 (2.16 kg)	0.923
LFI 2185A	Arya Sasul	0.85 (2.16 kg)	0.921
LF 0190	Arya Sasul	1.9 (2.16 kg)	0.924
2420 H	Amir Kabir (AKPC)	1.9 (2.16 kg)	0.924
L 2102 TX 00	Laleh	1.9 (2.16 kg)	0.921
LFI 2119	Arya Sasul	1.9 (2.16 kg)	0.921
LF 0200	Bandar Imam (BIK)	2 (2.16 kg)	0.922
2420 E 02	Bakhtar	2 (2.16 kg)	0.921
LFI 2125 A	Arya Sasul	2.5 (2.16 kg)	0.921
2420 K	Amir Kabir (AKPC)	4 (2.16 kg)	0.924

LDPE FILM





LDPE INJECTION

Typical Application


- Toys
- House Hold Articles
- Clamping Lids

GRADE	PRODUCER	MFR	DENSITY
LIM 1922	Arya Sasul	22 (2.16 kg)	0.919
1922	Laleh	22 (2.16 kg)	0.919



LDPE INJECTION APPLICATION





LLDPE

Products





LLDPE FILM

Typical Application


- Heavy duty plastic bags
- Freezer bags
- Hand bags
- Packing
- Agricultural film



GRADE	PRODUCER	MFR	DENSITY
LL 235 F6	Jam	0.6 (2.16 kg)	0.922
LL 0209 AA/KJ	Shazand/Tabriz/Amir Kabir	0.9 (2.16 kg)	0.921
LL 22B01 AA	Bakhtar	1 (2.16 kg)	0.920
LL 22B02 AA	Bakhtar	2 (2.16 kg)	0.920
LL 22B03 AA	Bakhtar	3 (2.16 kg)	0.920
LL 18B03	Bakhtar	3 (2.16 kg)	0.918
LL 0220 AA/KJ	Tabriz	2.4 (2.16 kg)	0.921




LLDPE FILM





PP Products





PP (Homo Polymer)

Typical Application


- Heavy Duty Jumbo bags
- Furniture
- Caps
- Closures
- Toys

GRADE	PRODUCER	MFR	DENSITY
Hp 550 J	Jam PP, Marun	3.2 (2.16 Kg)	0.9
C 30 S	Marun	6 (2.16 Kg)	0.9
ZH 510 L	Navid Zar Chimi	5-7 (2.16 Kg)	0.9
ZR 348 U	Navid Zar Chimi	7-10 (2.16 Kg)	0.9
HD 225	Tabriz	22 (2.16 Kg)	0.9
HP 552 R	Jam PP, Marun, Shazand	25 (2.16 Kg)	0.9
1102 XL	Regal	5.5 (2.16 Kg)	0.9
1102 XK	Regal	4 (2.16 Kg)	0.9



PP (Homo Polymer)





PP Products

PP CO POLYMER





PP (Co Polymer)

Typical Application

- Lamination
- Packaging of stationary
- Packaging of food
- Containers
- Filters




GRADE	PRODUCER	MFR	DENSITY
EP 440 G	Jam PP	1.3 (2.16 Kg)	0.9
EP 440 L	Jam PP	6 (2.16 Kg)	0.9
EP 548 R	Jam PP	21 (2.16 Kg)	0.9
RP-345 S	Jam PP	40 (2.16 Kg)	0.9
EP 548 T	Jam PP	50 (2.16 Kg)	0.9
RP 210 G	Shazand	1.8 (2.16 Kg)	0.9
RP 270 G	Shazand	1.8 (2.16 Kg)	0.9



PP (Co Polymer)





PP Products





PP PIPE

Typical Application

- Industrial pressure pipe
- Hot & cold water supply
- Services pipes
- Industrial water conversance

GRADE	PRODUCER	MFR	DENSITY
MR 230	Marun	0.3 (2.16 Kg)	0.9
PNR 230 C	Polynar	0.3 (2.16 Kg)	0.9
ZR2 30 C	Navid Zar Chimi	0.35 (2.16 Kg)	0.9
3212 E	Regal	0.25 (2.16 Kg)	0.9



PP PIPE





SBR Products



SBR

Typical Application

- Mechanical goods
- Tires
- Molded and extruded mechanical rubber goods
- Foot wear
- Light and dark colored mechanical goods

GRADE	PRODUCER	VISCOSITY	OILCONTENT	BOUNDSTYRENE
SBR 1502	Bandar Imam (BIK)	46 - 58	0	22.5-24.5
SBR 1712	Takhte Jamshid	42-52	37.5	23.5





PBR TJPC

Typical Application

Product Name	Maximumpercentage ofvolatilesubstances	Mooney viscosity (ML 1+4 @ 100 °C)	Application
TJPC 1220	0/75	41_49	Car tires, conveyor belts, shoe soles, cables and other rubber items
TJPC 1220C	2	43_53	Car tires, conveyor belts, shoe soles, cables and other rubber items
TJPC 1202	0/75	30_40	HIPS with low gel percentage,suitable for production

PBR Products





HIPS Products



HIPS

Typical Application

- Packaging containers
- Egg box
- Industrial parts
- Fridge doors
- Freezer and refrigerator line




GRADE	PRODUCER	VICAT SOFTENING	MFR
HIPS 7240	Tabriz	97	4.5 (5 Kg)
HIPS 7055	Petro Paak	92	4.4 (5 Kg)
HIPS 4125	Petro Paak	93	12 (5 Kg)





GPPS Products



GPPS

Typical Application

- Shower cabinet
- Disposable cups
- Food container
- Pen bodies



GRADE	PRODUCER	MFR	VICATE SOFTENING
GPPS 1160	Tabriz	2.5 (5 Kg)	104
GPPS 1460	Tabriz	6 (5 Kg)	103
GPPS 1540	Tabriz	11 (5 Kg)	91
GPPS 1018	Petro Paak	1 (5 Kg)	105
GPPS 1028	Petro Paak	2.4 (5 Kg)	102
GPPS 1034	Petro Paak	3.1 (5 Kg)	90
GPPS 1038	Petro Paak	3.1 (5 Kg)	101
GPPS 1047	Petro Paak	4.2 (5 Kg)	100
GPPS 1067	Petro Paak	5.5 (5 Kg)	100
GPPS 1077	Petro Paak	7 (5 Kg)	100
GPPS 1084	Petro Paak	8 (5 Kg)	91
GPPS 1115	Petro Paak	11 (5 Kg)	91
GPPS 1144	Petro Paak	14 (5 Kg)	92
GPPS 1233	Petro Paak	23 (5 Kg)	85
GPPS 1551	TJPAPC	9 (5 Kg)	92
GPPS 1161	TJPAPC	4 (5 Kg)	104





EPS Products





TABRIZ




EPS



Typical Application

Types & Grade	Producer	Bead size (mm)	Typical end product density (kg /m3)	Typical application
121 HS	TPC	1.8 – 2.5	13 _ 25	Low density blocks
221 HS	TPC	1.0 _ 1.8	14 _ 30	Low _ Medium density blocks
321 HS	TPC	0.7 _ 1.0	18 _ 30	Shape molding with wall thickness > 10 mm, and medium _ high density blocks





EPS

Typical Application

Grade	Bead Size (mm)	Preexpansion Density (Kg/cm ²)	Foam Multiple	Foam Density (g/L)	Usage
F50	1.6 - 1.9	11	60 - 75	10 - 20	Insulation, big packing products
F100	1.3 - 1.6	13	47 - 65	14 - 22	Insulation, big packing products
F150	0.9 - 1.3	14	42 - 60	16 - 30	Medium-density Insulation, middle-density packing
F250	0.7 - 0.9	15	35 - 55	20 - 35	Medium-density Insulation, special use products
F350	0.47 - 0.7	16	28 - 50	22 - 40	High-density Insulation, special use products
F450	0.3 - 0.47	17	24 - 45	23 - 42	High-density Insulation, special use products



PETROMOL





BANIAR



EPS



Typical Application

Grade	BeadSize (≥99.0%) mm	Pre-expansion Density * g/l	Blowing Agent Content wt%	Moisture Content wt%	k-value ** × 10 ⁻³ W/mk
F-1000	1.4_2.0	11-12	≥ 6.0	≤ 0.80	55.5 _57.5
F-2000	0.9_1.4	12-14	≥ 6.0	≤ 0.80	55.5 _57.5
F-3000	0.7_1.0	14-16	≥ 6.0	≤ 0.80	55.5 _57.5
F-4000	0.5_0.8	16-18	≥ 6.0	≤ 0.80	55.5 _57.5





ABS Products



ABS

Typical Application

- Office Supplies
- Home appliances casing
- Heat resistant home
- Printing



GRADE	PRODUCER	VICATESOFTENING	IZOD IMPACT	MFR
SD 0150	Tabriz	99	22	1.7 (5 Kg)
ABS-40	Ghaed basir	92	30	2 (5 Kg)
ABS-50	Ghaed basir	95	23	3.4 (5 Kg)
ABS-70	Ghaed basir	100	26	1.5 (5 Kg)





PVC

Typical Application

- Extrusion of flexible section and hoses
- Cable industry
- Injection molding
- Windows profile
- Electric wires

GRADE	PRODUCER	K-VALUE	BULK DENSITY
S 57	Abadan	57	500-560
S 65	Bandar Imam (BIK), Arvand, Ghadir	65	540-600
S 70	Abadan, Hegmataneh	70	445-505
E 6834	Arvand	67-69	-



PVC Products





PC Products



PC

Typical Application

- Windows
- Helmet
- Instrument cases and mechanical goods



GRADE	PRODUCER	DENSITY	MFR
PC 0712	Khozestan	1.2	7.1 - 12





PET

Products



PET

POLYETHYLENE TEREPHTHALATE

Typical Application

- Packaging all kinds of carbonated drinks
- Packaging food
- Edible oil
- Carbonated water



GRADE	PRODUCER	VISCOSITY	DENSITY
PET 645-Textile grade	Tondgooyan	0.64	1.4 + - 0.4
PET 781-Bottle grade	Tondgooyan	0.78	1.5
PET 785-Bottle grade	Tondgooyan	0.78	2.0
PET 821-Bottle grade	Tondgooyan	0.82	1.5
PET 825-Bottle grade	Tondgooyan	0.82	2.0

